

Author Index for 1995

	Issue	Page
Banerjee, Amit — see: Kalia, Prabha and Banerjee, Amit		
1. Basson, Philip W. and Murray, John W. — <i>Temporal variations in four species of intertidal foraminifera, Bahrain, Arabian Gulf</i>	1	69
2. Blau, Joachim, Moreno S., Mario and Senff, Michael — <i>Palaxius caucaensis n. sp., a crustacean microcoprolite from the basal Nogales Formation (Campanian to Maastrichtian) of Colombia</i>	1	85
3. Blome, Charles D. and Reed, K. M. — <i>Radiolarian biostratigraphy of the Quinn River Formation, Black Rock terrane, north-central Nevada: Correlations with eastern Klamath terrane geology</i>	1	49
4. Chauffe, Karl M. and Nichols, Patricia A. — <i>Multielement conodont species from the Louisiana Limestone (Upper Devonian) of west-central Illinois and northeastern Missouri, U.S.A.</i>	2	171
5. de Klasz, Ivan, de Klasz, Sandrine and Saint-Marc, Pierre — <i>Heterohellicids from the Turonian of Senegal (West Africa) with particular emphasis on Heterohelix americana (Ehrenberg)</i>	4	359
de Klasz, Sandrine — see: de Klasz, Ivan, de Klasz, Sandrine and Saint-Marc, Pierre		
6. Editors, The — <i>Ellis and Messina on CD-ROM</i>	3	292
7. Editors, The — <i>Errata, Volume 40</i>	2	142
8. Editors, The — <i>Nannostrat: Interactive relational databases for biostratigraphy</i>	3	291
9. Editors, The — <i>Proceedings of the Fourth International Workshop on Agglutinated Foraminifera</i>	1	84
10. Eshet, Yoram and Moshkovitz, Shimon — <i>New nannofossil biostratigraphy for Upper Cretaceous organic-rich carbonates in Israel</i>	4	321
11. Franklin, Dennis C. and Marchant, Harvey J. — <i>Parmales in sediments of Prydz Bay, East Antarctica: a new biofacies and paleoenvironmental indicator of cold water deposition?</i>	1	89
Gibling, Martin R. — see: Nagy, Jenö, Gradstein, Felix M., Gibling, Martin R., and Thomas, Frank C.		
Giese, M. — see: Mackensen, A., Schmiedl, G., Harloff, J. and Giese, M.		
Gill, I. P. — see: McLaughlin, P. P., Jr., Gill, I. P. and van den Bold, W. A.		
Gradstein, Felix M. — see: Nagy, Jenö, Gradstein, Felix M., Gibling, Martin R., and Thomas, Frank C.		
Harloff, J. — see: Mackensen, A., Schmiedl, G., Harloff, J. and Giese, M.		
12. Hodgkinson, R. L. — <i>The Hull University Collection of Ostracoda in The Natural History Museum, London; sources of type and figured material</i>	4	381
13. Holbourn, Ann E. L. and Kaminski, Michael A. — <i>Valanginian to Barremian benthic foraminifera from ODP Site 766 (Leg 123, Indian Ocean)</i>	3	193
14. Hull, Donna Meyerhoff — <i>Morphologic diversity and paleogeographic significance of the Family Parvicinulidae (Radiolaria)</i>	1	1
15. Kalia, Prabha and Banerjee, Amit — <i>Occurrence of the genus Eoconuloides Cole and Bermudez 1944 in Rajasthan, India and its paleobiogeographic significance</i>	2	187
Kaminski, Michael A. — see: Holbourn, Ann E. L. and Kaminski, Michael A.		
16. Kontrovitz, Mervin and Slack, Jerry Marie — <i>Ocular shell structures in some loxoconchid Ostracoda</i>	4	369
17. Mackensen, A., Schmiedl, G., Harloff, J. and Giese, M. — <i>Deep-sea foraminifera in the south Atlantic Ocean: Ecology and assemblage generation</i>	4	342
Marchant, Harvey J. — see: Franklin, Dennis C. and Marchant, Harvey J.		
18. McLaughlin, P. P., Jr., Gill, I. P. and van den Bold W. A. — <i>Biostratigraphy, paleoenvironments and stratigraphic evolution of the Neogene of St. Croix, U.S. Virgin Islands</i>	4	193

19. McMinn, A. — <i>Why are there no post-Paleogene dinoflagellate cysts in the Southern Ocean?</i>	4	383
Moreno S., Mario — <i>see: Blau, Joachim, Moreno S., Mario and Senff, Michael</i>		
Moshkovitz, Shimon — <i>see: Eshet, Yoram and Moshkovitz, Shimon</i>		
Murray, John W. — <i>see: Basson, Philip W. and Murray, John W.</i>		
20. Nagy, Jenő, Gradstein, Felix M., Gibling, Martin R., and Thomas, Frank C. — <i>Foraminiferal stratigraphy and paleoenvironments of Late Jurassic to Early Cretaceous deposits in Thakkhola, Nepal</i>	2	143
Nichols, Patricia A. — <i>see: Chauffe, Karl M. and Nichols, Patricia A.</i>		
21. Nomura, Ritsuo — <i>Paleogene to Neogene deep-sea paleoceanography in the eastern Indian Ocean: benthic foraminifera from ODP Sites 747, 757 and 758</i>	3	251
Pisias, Nicklas G. — <i>see: Welling, Leigh A. and Pisias, Nicklas G.</i>		
22. Racey, A. — <i>Lithostratigraphy and larger foraminiferal (nummulitid) biostratigraphy of the Tertiary of northern Oman</i>		Supplement
Reed, K. M. — <i>see: Blome, Charles D. and Reed, K. M.</i>		
Saint-Marc, Pierre — <i>see: de Klasz, Ivan, de Klasz, Sandrine and Saint-Marc, Pierre</i>		
Schmiedl, G. — <i>see: Mackensen, A., Schmiedl, G., Harloff, J. and Giese, M.</i>		
Scott, David B. — <i>see: Zhang, Jijun and Scott, David B.</i>		
Senff, Michael — <i>see: Blau, Joachim, Moreno S., Mario and Senff, Michael</i>		
Slack, Jerry Marie — <i>see: Kontrovitz, Mervin and Slack, Jerry Marie</i>		
23. Stover, Lewis E. and Williams, Graham L. — <i>A revision of the Paleogene dinoflagellate genera Areosphaeridium Eaton 1971 and Eatonicysta Stover and Evitt 1978</i>	2	97
Thomas, Frank C. — <i>see: Nagy, Jenő, Gradstein, Felix M., Gibling, Martin R., and Thomas, Frank C.</i>		
van den Bold, W. A. — <i>see: McLaughlin, P. P., Jr., Gill, I. P. and van den Bold, W. A.</i>		
24. Welling, Leigh A. and Pisias, Nicklas G. — <i>A new settling method for preparing quantitative radiolarian slides from plankton, sediment trap and deep-sea sediment samples</i>	4	375
Williams, Graham L. — <i>see: Stover, Lewis E. and Williams, Graham L.</i>		
25. Zhang, Jijun and Scott, David B. — <i>New planktonic foraminiferal genus and species from the upper Oligocene, DSDP Hole 366A, Leg 41</i>	1	77

Subject Index for 1995

NOTE: Names of new taxa are set in **bold-face** type. Numbers refer to papers listed in the author index.

- Antarctica, East
 - Parmales, 2
- Bahrain, 1
- biostratigraphy
 - Cretaceous, Upper
 - Israel, 10
 - Neogene
 - Virgin Islands, St. Croix, 18
 - Nevada, north-central
 - radiolaria, 3
 - Tertiary
 - Oman, northern, Supp
 - Nepal, Thakkhola
 - Jurassic to Early Cretaceous, 20
- Campanian
 - Columbia
 - microprolites, 2
- Columbia
 - Campanian to Maastrichtian
 - microprolites, 2
- conodonts
 - Illinois, west-central
 - Devonian, 4
 - Missouri, northeastern, 4
 - Devonian, 4
 - Seraellataxis*, 4
 - Seraellataxis petroskei*, 4
- Cretaceous,
 - biostratigraphy
 - Israel, 10
 - Nepal, Thakkhola, 20
 - Indian Ocean
 - foraminifera, benthic, 13
- Devonian
 - Conodonts
 - Illinois, west-central, 4
 - Missouri, northeastern, 4
- dinoflagellates
 - Areosphaeridium*, 23
 - Eatonicysta*, 23
 - Paleogene, 23
 - Southern Ocean, 19
- DSDP Hole 366A
 - Oligocene, upper
 - foraminifera, 25
- Ellis and Messina Catalogue, 6
- Eocene
 - India, Rajasthan
 - foraminifera, 15
- Errata, volume 40, 8
- foraminifera
 - Eoconuloides*
 - India, Rajasthan, 15
 - heterohellicids
 - Senegal, 5
 - Oligocene, upper
 - DSDP Hole 366A, 25
 - Protentelloides*, 25
 - Protentelloides dalhousei*, 25
 - Protentelloides primitiva*, 25
 - temporal variation, 1
- foraminifera, benthic
 - Indian Ocean
 - Cretaceous, lower, 13
 - Neogene, 21
 - Paleogene, 21
- foraminifera, deep-sea
 - South Atlantic Ocean, 17
- Heterohelix americana*
 - Senegal, 5
- India, Rajasthan
 - Eocene
 - foraminifera, 15
- Indian Ocean, ODP Site 766
 - Cretaceous, lower
 - foraminifera, benthic, 13
- Indian Ocean, ODP Sites 747, 757, 758
 - Paleogene
 - paleoceanography, 21
- Israel
 - Cretaceous, Upper
 - biostratigraphy, 10
- Jurassic
 - biostratigraphy
 - Nepal, Thakkhola, 20
- lithostratigraphy
 - Oman, northern, Supp
- Maastrichtian
 - Columbia
 - microprolites, 2
- methods, 24
- microprolites
 - Columbia, 2
- nannofossils
 - biostratigraphy
 - Israel, 10
- Nannostrat, 7
- Neogene
 - Virgin Islands, St. Croix, 18
 - biostratigraphy
 - Indian Ocean, ODP Sites 747, 757, 758
 - paleoceanography, 21
- Nepal, Thakkhola
 - Jurassic
 - biostratigraphy, 20
- Nevada, north-central
 - biostratigraphy
 - radiolarian, 3
- ODP Site 766, 13
- ODP Sites 747, 757 and 758, 21
- Oligocene, upper
 - DSDP Hole 366A
 - foraminifera, 25
- Oman, northern
 - lithostratigraphy, Supp
- Ostracoda,
 - Hull University Collection, 12
 - shell structure, loxoconchid, 16
- Palaxius caucaensis*, 2
- paleoceanography
 - Indian Ocean
 - Neogene, 21
 - Paleogene, 21
- Paleogene
 - dinoflagellates, 23
 - Indian Ocean, ODP Sites 747, 757, 758
 - paleoceanography, 21
- Parmales
 - Antarctica, East, 2
- Radiolaria
 - biostratigraphy
 - Nevada, north-central, 3

Darvelus, 14
Darvelus pessagnoii, 14
Darvelus primus, 14
Parvicingula alamoensis, 14
Parvicingula bluefordi, 14
Parvicingula broqueta, 14
Parvicingula colemani, 14
Parvicingula corona, 14
Parvicingula corralensis, 14
Parvicingula cuyamaensis, 14
Parvicingula gorda, 14
Parvicingula gracila, 14
Parvicingula obstinata, 14
Parvicingula sanfilipoae, 14
Parvicingula satura, 14
Parvicingula whalenae, 14
Parvicingula sp. aff. *P. gorda*, 14

Parvicingula sp. aff. *P. obstinata*, 14
 Parvicingulidae, 14
Praeparvicingula gemmata, 14
Praeparvicingula rotunda, 14
Praeparvicingula saltata, 14
Praeparvicingula sencilla, 14
Praeparvicingula sp. cf. *P. sencilla*, 14
Praeparvicingula(?) *nebulosa*, 14
Ristola firma, 14
Ristola(?) *bala*, 14

radiolarians
 slide preparation, 24

Senegal
 foraminifera, 5

South Atlantic Ocean
 foraminifera, deep-sea, 17

Southern Ocean
 temporal variation
 foraminifera, 1

Tertiary
 Oman, northern
 biostratigraphy, Supp
 lithostratigraphy, Supp

Turonian
 Senegal
 heterohelids, 5

Virgin Islands, St. Croix
 Neogene
 Biostratigraphy, 18

